


Sizes

The Qseals ST01 is available in at least 39 different sizes:

D1	D7	L4	Unit
10.00	18.10	5.50	inch
12.00	20.60	5.50	inch
13.00	23.10	6.00	inch
14.00	23.10	6.00	inch
15.00	26.90	7.00	mm
16.00	26.90	7.00	mm
17.00	26.90	7.00	mm
18.00	30.90	8.00	mm
19.00	30.90	8.00	mm
20.00	30.90	8.00	mm
22.00	35.40	8.00	mm
24.00	35.40	8.00	mm
25.00	38.20	8.50	mm
26.00	38.20	8.50	mm
28.00	43.30	9.00	mm
30.00	43.30	9.00	mm
32.00	43.30	9.00	mm
33.00	53.50	11.50	mm
34.00	53.50	11.50	mm
35.00	53.50	11.50	mm
38.00	60.50	11.50	mm
39.00	60.50	11.50	mm
40.00	60.50	11.50	mm
42.00	60.50	11.50	mm
43.00	60.50	11.50	mm
44.00	65.50	11.50	mm
45.00	65.50	11.50	mm
48.00	65.50	11.50	mm
50.00	72.50	11.50	mm
55.00	72.50	11.50	mm
60.00	79.30	11.50	mm
65.00	84.50	11.50	mm
70.00	89.50	11.50	mm
75.00	94.50	11.50	mm
80.00	99.50	11.50	mm
85.00	105.50	13.50	mm
90.00	111.50	13.50	mm
95.00	116.50	13.50	mm

D1	D7	L4	Unit
100.00	119.50	13.50	mm



Technical specifications

Temperature	... till ... °C
Pressure	... bar
Rotational velocity	... m/s
Rotate left	No
Rotate right	No
Balanced	No

Stationary faces

The Qseals ST01 is available with at least 4 different stationary face materials:

- Carbon (CAR)
- Ceramic (CER)
- Silicon carbide (SIC)
- Tungsten carbide (TC)

Elastomers

The Qseals ST01 is available with at least 7 different elastomers:

- Aflas (AFL)
- EPDM (EPDM)
- FEP Viton/Silicone (FEP)
- Kalrez (KAL)
- Nitrile (NIT)
- Silicone (SIL)
- Viton (VIT)

Alternatives

The Qseals ST01 is an alternative to at least 2 products of other brands:

- Vulcan 12
- Vulcan 13