

Tailles

Le Qseals QFPS13 est disponible dans au moins 55 de tailles différentes:

D1	Unité
0.38	inch
0.50	inch
0.63	inch
0.75	inch
0.88	inch
1.00	inch
1.13	inch
1.25	inch
1.38	inch
1.50	inch
1.63	inch
1.75	inch
1.88	inch
2.00	inch
2.13	inch
2.25	inch
2.38	inch
2.50	inch
2.63	inch
2.75	inch
3.00	inch
10.00	mm
11.00	mm
12.00	mm
13.00	mm
14.00	mm
15.00	mm
16.00	mm
18.00	mm
19.00	mm
20.00	mm
22.00	mm
24.00	mm
25.00	mm
28.00	mm
30.00	mm
32.00	mm

D1	Unité
33.00	mm
35.00	mm
38.00	mm
40.00	mm
42.00	mm
43.00	mm
45.00	mm
48.00	mm
50.00	mm
53.00	mm
55.00	mm
58.00	mm
60.00	mm
63.00	mm
65.00	mm
70.00	mm
73.00	mm
75.00	mm

Caractéristiques techniques

Température	... jusqu'à ... °C
Pression	... bar
Vitesse de rotation	... m/s
Rotation à gauche	Non
Rotation à droite	Non
Équilibré	Non

Alternatives

Le Qseals QFPS13 est une alternative à au moins 758 de produits d'autres marques:

- AES P01U
- Burgmann MG910-G50
- Flowserve M412LZ365
- Flowserve M412LZ364
- Flowserve M412LZ354
- Flowserve M412LZ343
- Flowserve M412LZ330
- Flowserve M412LZ326
- Flowserve M412LZ325
- Flowserve M412LZ324
- Flowserve M412LZ323
- Flowserve M412LZ291
- Flowserve M412LZ275
- Flowserve M412LZ281
- Flowserve M412LZ201
- Flowserve M412LZ166
- Flowserve M412LZ153
- Flowserve M412LZ144
- Flowserve M412LZ120
- Flowserve M412LZ024
- Flowserve M412GZ300
- Flowserve M410LZ234
- Flowserve Pac-Seal 100
- Flowserve M412LZ386
- Vulcan Type A1
- And 733 others...

Applications

Le Qseals QFPS13 est utilisé dans au moins 24 de pompes et autres applications.:

- Allweiler SNH 120

- Crane 5B GBR
- Crane 2C GBC
- Flowserve 2 1/2 LR-10
- Flowserve 4 LR-11
- Flowserve 4 LR-14
- Flowserve 5 LR-13
- Flowserve 5 LR-15
- Flowserve 6 LR-13
- Flowserve 6 LR-16
- Flowserve 8 LR-12
- Flowserve 8 LR-13
- Flowserve 8 LR-14
- Flowserve 2 1/2 LR-13
- Hamworthy DOLPH 2TB 80
- Hamworthy DB 350 V1C1
- Hamworthy DOLPH C3X2VP
- Hamworthy DOLPH DB300
- Hamworthy DOLPH D5X3
- Hamworthy DOLPH C8X6V
- Hamworthy DOLPH C5X4
- Hamworthy DOLPH C4X4V
- Hamworthy DOLPH B5X4
- Worthington 65CR 160